


serie

SATIS



Ref. type : SATISxxx




SATIS floodlight

Classic but effective, SATIS provides comfortable lighting and adapts to different situations thanks to its different optics. Its luminous efficiency (150 lm/W) ensures significant energy savings. Its tempered glass pane allows it to be installed in dusty or chlorinated environments.


150 lm/W	50W to 200W	not dimmable	50/60 Hz	
CE	ROHS	RG1	IP66	IK10
AC220-240V	warranty 5 years	L80 76 000H		



- Built-in surge protector
- Tempered glass pane
- Adapted to chlorinated environments
- Light & compact
- LED SMD



Power	Lumens	Dimensions (mm)			Weight	Bracket dimensions (mm)			
		A	B	C		D	E	F	G
50W	7500 lm	204	52	200	1.70 Kg	205	109	81	Ø11
75W	11 250 lm	246	60	241	2.60 Kg	246	163	121	
100W	15 000 lm								
150W	22 500 lm	276	68	271	3.60 Kg	276	170		
200W	30 000 lm	317	71	305	4.80 Kg	317	180		



Specifications

Series Code	SATISxxx	THD	< 20 %
Efficacy	150 lm / Watt	Current	Direct current
CCT	4000 K & 3000K	Materials	Aluminium / Polycarbonate
CRI	RA > 80	Lens	Symmetrical and Asymmetrical
Input Voltage	AC 220-240 V • 50-60 Hz	Adapt for TV	Driver Flicker Free
Power Factor	0,95	Colour	Black
Photobiological risk	RG1	Standards	IP65 / IK10 / CE / ROHS / ENEC
ULR	< 3%	Warranty	5 years

serie

SATIS



SATIS is ideal for :



SPEQTRIS
SPORT



SPEQTRIS SPORT IS A BRAND OF THE **STOPLED** COMPANY.
01 60 86 73 55 | SPEQTRIS@SPEQTRIS.SPORT

www.speqtris.sport